

SIGURNOSNO TEHNIČKI LIST ZA PROIZVOD

MaxiChem® with TRIttech™ 76-830



| | |
|---------------------------|---|
| Boja – Premaz | Zelena |
| Boja – Podstava | Bijela |
| Dizajn | Čvrsta rukavica - 35 cm |
| Premaz | NBR (nitril butadien guma) |
| Tekstura premaza | Mikro pjena s protukliznim prljanjanjem |
| Podstava | Najlon, Spandeks |
| Debljina preko dlana (mm) | 0.90 |



Dimenzije

| Raspon veličina | Veličina 7 (S) | Veličina 8 (M) | Veličina 9 (L) | Veličina 10 (XL) | Veličina 11 (XXL) |
|------------------------------------|----------------|----------------|----------------|------------------|-------------------|
| Ukupna duljina rukavice (+/-10 mm) | 350 | 350 | 350 | 350 | 350 |
| Širina dlana (mm) | 104 | 110 | 117 | 122 | 129 |
| Boja štepa | Crvena | Narančasta | Bijela | Žuta | Crna |

EN rezultati testiranja

| Test | Tijelo za ocjenu sukladnosti | Rezultat/prolaz |
|-------------------------------------|------------------------------|-----------------|
| EN ISO 21420: 2020 | TÜV Rheinland | Da |
| EN 388:2016 + A1:2018 | TÜV Rheinland | 4111A |
| EN ISO 374-1: 2016 + A1: 2018/Tip A | TÜV Rheinland | JKLMNO |
| EN ISO 374-5: 2016 | TÜV Rheinland | Da |

Tipične vrijednosti performansi

| | |
|--|----------------|
| EN ISO 21420: Mehaničke opasnosti Dexterity | Razina 5 |
| EN 388:2016 + A1:2018 A. Otpornost na abraziju | > 8000 ciklusa |
| EN 388:2016 + A1:2018 B. Otpornost na razrezivanje | > 1,2 indeks |
| EN 388:2016 + A1:2018 C. Otpornost na kidanje | > 10 njutna |
| EN 388:2016 + A1:2018 D. Otpornost na probijanje | > 20 njutna |
| EN 388:2016 + A1:2018 E. Otpornost na razrezivanje ISO | ≥ 2 njutna |
| EN ISO 374-1: 2016 + A1: 2018 J - n-Heptane | 3 (>60 min) |
| EN ISO 374-1: 2016 + A1: 2018 K - Sodium hydroxide 40% | 6 (>480 min) |
| EN ISO 374-1: 2016 + A1: 2018 L - Sulphuric acid 96% | 2 (>30 min) |
| EN ISO 374-1: 2016 + A1: 2018 M - Nitric acid 65% | 6 (>480 min) |
| EN ISO 374-1: 2016 + A1: 2018 N - Acetic acid 99% | 3 (>60 min) |
| EN ISO 374-1: 2016 + A1: 2018 O - Ammonia 25% | 6 (>480 min) |

SIGURNOSNO TEHNIČKI LIST ZA PROIZVOD

EN ISO 374-5: 2016 Rukavice za zaštitu od mikroorganizama

Zaštitne rukavice koje služe kao zaštitna barijera od mikrobioloških agensa.

SIGURNOSNO TEHNIČKI LIST ZA PROIZVOD

MaxiChem® with TRltech™ 76-830

Permeation Break Trough Times (BTT)

| | | |
|--|----------|---------------------------|
| Acrylic acid (79-10-7) | 3 (72) | CENTEXBEL |
| n-heptan (142-82-5) | 3 (66) | TÜV Rheinland |
| Natrijev hidroksid 40% (1310-73-2) | 6 (>480) | TÜV Rheinland |
| Sumporna kiselina (7664-93-9) | 2 (44) | TÜV Rheinland |
| Dušična kiselina (7697-37-2) | 6 (>480) | TÜV Rheinland |
| Octena kiselina (64-19-7) | 3 (67) | TÜV Rheinland |
| Ammonium hydroxide (1336-21-6) | 6 (>480) | TÜV Rheinland |
| Formaldehid (50-00-0) | 6 (>480) | Kroschke |
| Etanol 92% (64-17-5) | 6 (>480) | Kroschke |
| Etanol 70% (64-17-5) | 6 (>480) | Kroschke |
| Izopropanol 99% (67-63-0) | 6 (>480) | Kroschke |
| Benzin (8006-61-9) | 2 (56) | Kroschke |
| Dizel (68476-34-6) | 6 (>480) | Kroschke |
| Nafta (64742-88-7) | 4 (228) | Kroschke |
| Acetona (67-64-1) | 0 | ATG accredited laboratory |
| Acetonitril (75-05-8) | 0 | ATG accredited laboratory |
| Etil acetat (141-78-6) | 0 | ATG accredited laboratory |
| n-heptan (142-82-5) | 4 | ATG accredited laboratory |
| Hexane (110-54-3) | 5 | ATG accredited laboratory |
| Iso Octane (540-84-1) | 6 | ATG accredited laboratory |
| Metanol (67-56-1) | 3 | ATG accredited laboratory |
| Butanone (MEK - Methyl Ethyl Ketone) (78-93-3) | 0 | ATG accredited laboratory |
| Phosphoric acid 85% (7664-38-2) | 6 | ATG accredited laboratory |
| Sumporna kiselina (7664-93-9) | 3 | ATG accredited laboratory |
| Toluen (108-88-3) | 0 | ATG accredited laboratory |

HandCare®

| | |
|--|---------------|
| Dermatološki akreditirano od Skin Health Alliance | Da |
| REACH compliant | Da |
| OEKO-TEX® Standard 100 - 08.BH.57867 Hohenstein HTTI | Certificirano |
| Sanitized® | Da |



SIGURNOSNO TEHNIČKI LIST ZA PROIZVOD

Posebne značajke

Otporno na tekućine Da

Pakiranje

| | |
|---|-----------------|
| Pari po jednoj plastičnoj vrećici | 12 |
| Plastičnih vrećica po kartonskoj kutiji | 6 |
| Komada u kartonskoj kutiji | 72 |
| Dimenzije kartonske kutije (mm) | 500 x 295 x 270 |

Težina

| Raspon veličina | Veličina 7 (S) | Veličina 8 (M) | Veličina 9 (L) | Veličina 10 (XL) | Veličina 11 (XXL) |
|-----------------------------------|----------------|----------------|----------------|------------------|-------------------|
| Težina rukavica / par (+/-6 gram) | 124 | 132 | 140 | 150 | 158 |
| Bruto težina (kg) | 9.9 | 10.5 | 11 | 11.8 | 12.4 |
| Težina kutije (kg) | 1 | 1 | 1 | 1 | 1 |
| Neto težina (kg) | 8.9 | 9.5 | 10.0 | 10.8 | 11.4 |

Datum izdavanja: 04/04/2023

