

CUT AND HEAT RESISTANT KEVLAR® GLOVE

Ref. 4657

TECHNICAL SHEET



SIZES AND MEASUREMENTS

Size	10
Length (mm)	33
Ref.	4657

GENERAL DESCRIPTION AND MATERIALS

- Cut and heat resistant
- Thick cotton lined
- Knitted heavy Kevlar®
- Thermal insulation : 250 °C

SPECIFIC ADVANTAGES

- Dexterity
- Cut resistant
- Heat resistant
- Good resistance to tear

MAIN APPLICATION FIELDS

- Handling of sharp-edged objects
- Alu / metal shaped
- Protects from heat
- Long cuff

PACKAGING

- Packed by 5 pairs
- 50 pairs in a box

STANDARDIZATION


This glove is in conformity with the model of individual safety equipment which correspond to

The CE Type-examination certificate 5980 Issue 1

Delivered by **SATRA (notified body n° 0321)**

EN 420:2003 + A1:2009

AND EN 388:2003



254X

- Abrasion = 2/4
- Blade cut = 5/5
- Tear = 4/4
- Puncture = X/4

EN 407:2003



42XXXXX

- Resistance to flammability = 4/4
- Resistance to contact heat = 2/4
- Resistance to convective heat = X
- Resistance to radiant heat = X
- Resistance to small splashes of molten metal = X
- Resistance to large splashes of molten metal = X

SACLA - Z.I. de Rosarge - 01700 LES ECHETS - MIRIBEL - FRANCE

Tèl. : (33) 04 72 26 57 57 - Fax. : (33) 04 72 26 51 70 - Mail : contact@sacla-france.com